



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

IN CERTAIN STATES AND CITIES.

SMALLPOX.

Maryland—Westernport.

The State department of health of Maryland reported by telegraph November 8, 1913, that one new case of smallpox had been notified at Westernport, Allegany County, Md.

New York—Niagara Falls.

Acting Asst. Surg. Bingham, of the Public Health Service, reported by telegraph that during the week ended November 8, 1913, 4 new cases of smallpox had been notified in Niagara Falls, N. Y.

Miscellaneous State Reports.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Arizona (Oct. 1-31): County— Maricopa.....	1	Illinois (Sept. 1-30)—Contd. Counties—Continued.		
Colorado (Oct. 1-31): Counties— Larimer.....	1	Monroe.....	1
Morgan.....	2	Piatt.....	1
Otero.....	20	Rock Island.....	4
Pueblo.....	1	Stephenson.....	1
Total.....	24	Wifl.....	3
Illinois (Sept. 1-30): Counties— Cook.....	3	Whiteside.....	1
Davitt.....	1	Total.....	30
Grundy.....	7	Oregon (Sept. 1-30): Counties—		
Jo Daviess.....	3	Gillian.....	11
Madison.....	5	Lane.....	2
			Wasco.....	2
			Total.....	15
			Pennsylvania ¹ (Aug. 1-31).....		1

¹ Cases not reported.

City Reports for Week Ended Oct. 25, 1913.

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Butte, Mont.....	1	Marinette, Wis.....	3
Chattanooga, Tenn.....	2	Milwaukee, Wis.....	2
Chicago, Ill.....	1	Reading, Pa.....	3
Kansas City, Kans.....	1	Spokane, Wash.....	2
Lexington, Ky.....	1	Toledo, Ohio.....	2
Los Angeles, Cal.....	2	Wilkes-Barre, Pa.....	1

TYPHOID FEVER.**City Reports for Week Ended Oct. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Altoona, Pa.	2	Massillon, Ohio.	1
Atlantic City, N. J.	1	Milwaukee, Wis.	3	1
Austin, Tex.	1	Nashville, Tenn.	2
Baltimore, Md.	15	6	Newark, N. J.	8
Beaver Falls, Pa.	2	New Bedford, Mass.	6
Boston, Mass.	17	4	Newburyport, Mass.	2
Braddock, Pa.	1	New Castle, Pa.	1	1
Bridgeport, Conn.	2	New Orleans, La.	2	1
Brookline, Mass.	1	Oakland, Cal.	8
Cambridge, Mass.	2	Palo Alto, Cal.	1
Camden, N. J.	3	Philadelphia, Pa.	33	2
Chattanooga, Tenn.	2	Pittsburgh, Pa.	1	2
Chicago, Ill.	64	7	Pittsfield, Mass.	1
Chicopee, Mass.	3	Plainfield, N. J.	1
Cincinnati, Ohio.	1	Pottstown, Pa.	1
Cleveland, Ohio.	8	1	Providence, R. I.	11
Coffeyville, Kans.	2	Reading, Pa.	17	1
Columbus, Ind.	1	Richmond, Va.	3
Cumberland, Md.	4	Roanoke, Va.	1
Dayton, Ohio.	1	1	Sacramento, Cal.	4	1
Dunkirk, N. Y.	2	Saginaw, Mich.	4
Elmira, N. Y.	3	St. Louis, Mo.	10	2
Erie, Pa.	3	San Diego, Cal.	1
Evansville, Ind.	5	2	San Francisco, Cal.	15	2
Fall River, Mass.	3	1	Schenectady, N. Y.	5
Harrisburg, Pa.	1	Seattle, Wash.	5	1
Harrison, N. J.	2	South Bend, Ind.	3
Hartford, Conn.	2	1	South Bethlehem, Pa.	1
Haverhill, Mass.	1	Spokane, Wash.	1
Jersey City, N. J.	1	Springfield, Ill.	2	1
Johnstown, Pa.	1	1	Toledo, Ohio.	15	2
Kalamazoo, Mich.	1	Trenton, N. J.	1
Kansas City, Kans.	1	Washington, D. C.	9	3
La Crosse, Wis.	2	Wheeling, W. Va.	2	1
Little Rock, Ark.	6	Wilmington, N. C.	2	1
Los Angeles, Cal.	11	2	Yonkers, N. Y.	1
Lowell, Mass.	1	1	York, Pa.	3
Lynn, Mass.	1			

CEREBROSPINAL MENINGITIS.**City Reports for Week Ended Oct. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Binghamton, N. Y.	1	Milwaukee, Wis.	1	1
Boston, Mass.	2	Nashville, Tenn.	1
Chicago, Ill.	2	2	Newark, N. J.	1
Cleveland, Ohio.	2	New Orleans, La.	1
Dayton, Ohio.	1	Philadelphia, Pa.	1	1
Hartford, Conn.	1	Saginaw, Mich.	1
Los Angeles, Cal.	3	1	St. Louis, Mo.	1
Malden, Mass.	1	Springfield, Ill.	2
Manchester, N. H.	1	1	Taunton, Mass.	1	1

POLIOMYELITIS (INFANTILE PARALYSIS).**City Reports for Week Ended Oct. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Brockton, Mass.	1	New Bedford, Mass.	1
Cambridge, Mass.	1	Philadelphia, Pa.	1
Chicago, Ill.	2	Pittsburgh, Pa.	3
Cleveland, Ohio.	1	Plainfield, N. J.	1
Erie, Pa.	1	Richmond, Va.	1
Haverhill, Mass.	1	Schenectady, N. Y.	2
Kansas City, Kans.	2	South Bend, Ind.	1	1
La Crosse, Wis.	1	Worcester, Mass.	4	2
Los Angeles, Cal.	1			

ERYSIPELAS.**City Reports for Week Ended Oct. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Chicago, Ill.	6	Pittsburgh, Pa.	2
Cincinnati, Ohio ..	2	Reading, Pa.	1
Cleveland, Ohio	2	Richmond, Va.	1
Los Angeles, Cal.	1	Sacramento, Cal.	1
Milwaukee, Wis.	1	St. Louis, Mo.	4
Philadelphia, Pa.	3	2	Seattle, Wash.	1

LEPROSY.**California—Los Angeles.**

Senior Surg. Brooks, of the Public Health Service, reported, by telegraph, that during the week ended November 8, 1913, 1 case of leprosy had been notified in Los Angeles, Cal.

PELLAGRA.**City Reports for Week Ended Oct. 25, 1913.**

During the week ended October 25, 1913, pellagra was reported by cities as follows: Baltimore, Md., 1 death; Nashville, Tenn, 2 cases.

PLAGUE.**Rats Collected and Examined.**

Places.	Week ended—	Found dead.	Total collected.	Examined.	Found infected.
California:					
Cities—					
Oakland	Oct. 18, 1913	26	680	457
Berkeley	do.	4	168	108
San Francisco	do.	13	1,747	1,242

Rats taken from steamships: Persia, 9; O. M. Kellogg, 8; total, 17.

California—Squirrels Collected and Examined.

During the week ended October 18, 1913, 17 ground squirrels from Alameda County and 5 from Contra Costa County were examined for plague infection. No plague-infected squirrel was found.

PNEUMONIA.**City Reports for Week Ended Oct. 25, 1913.**

Places.	Cases.	Deaths.	Places.	Cases.	Deaths.
Binghamton, N. Y.	2	2	Los Angeles, Cal.	14	8
Braddock, Pa.	1	Manchester, N. H.	2	2
Chicago, Ill.	56	39	Newport, Ky.	2	2
Cleveland, Ohio	12	10	Philadelphia, Pa.	9	35
Dunkirk, N. Y.	1	1	Pittsburgh, Pa.	20	33
Galesburg, Ill.	1	1	Reading, Pa.	2	3
Kalamazoo, Mich.	3	3	Schenectady, N. Y.	3	1

RABIES.

California—Berkeley and Oakland—Rabies in Animals.

Surg. Long, of the Public Health Service, reported by telegraph that during the week ended November 8, 1913, 1 case of rabies in dogs had been reported in Berkeley, and 3 cases in Oakland, Cal.

TETANUS.

City Reports for Week Ended October 25, 1913.

During the week ended October 25, 1913, tetanus was reported by cities as follows: New Bedford, Mass., 1 case with 1 death; St. Louis, Mo., 1 case.

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS.

Alaska—Afognak Island—Measles.

Passed Asst. Surg. Krulish, of the Public Health Service, reported by telegraph, November 10, 1913, that 150 cases of measles, with 10 deaths, had been reported from Afognak Island, Alaska.

City Reports for Week Ended Oct. 25, 1913.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tubercu- losis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
Over 500,000 inhabitants:											
Baltimore, Md.	558,485	185	54	1	15	25	14	
Boston, Mass.	670,585	194	45	12	28	1	52	22	
Chicago, Ill.	2,185,283	556	172	16	9	57	5	165	69	
Cleveland, Ohio.	560,663	183	109	6	10	17	3	17	17	
Philadelphia, Pa.	1,549,008	436	56	2	13	48	3	86	46	
Pittsburgh, Pa.	533,905	138	62	8	6	71	3	32	9	
St. Louis, Mo.	687,029	218	64	5	10	13	29	22	
From 300,000 to 500,000 in- habitants:											
Cincinnati, Ohio.	364,463	103	19	1	1	14	21	11	
Los Angeles, Cal.	319,198	107	12	2	1	8	21	17	
Milwaukee, Wis.	373,857	93	20	1	11	10	6	
Newark, N. J.	347,469	105	31	1	24	24	1	26	15	
New Orleans, La.	339,075	124	24	2	2	16	11	
San Francisco, Cal.	416,912	141	5	1	1	4	42	19	
Washington, D. C.	331,069	79	17	2	1	14	19	6	
From 200,000 to 300,000 in- habitants:											
Jersey City, N. J.	267,779	71	1	1	6	
Providence, R. I.	224,326	62	24	1	1	3	9	3	
Seattle, Wash.	237,194	50	1	1	3	18	5	
From 100,000 to 200,000 in- habitants:											
Bridgeport, Conn.	102,054	31	1	1	6	3	4	
Cambridge, Mass.	104,839	20	3	3	6	1	
Dayton, Ohio.	116,577	28	61	5	5	3	1	
Fall River, Mass.	119,295	32	3	1	5	2	3	
Lowell, Mass.	106,294	29	1	5	3	
Nashville, Tenn.	110,364	30	2	9	5	
Oakland, Cal.	150,174	50	6	1	3	4	4	
Richmond, Va.	127,628	53	8	13	1	3	18	
Spokane, Wash.	104,402	1	3	1	
Toledo, Ohio.	168,497	44	7	1	8	2	
Worcester, Mass.	145,986	43	8	6	1	3	1	2	

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Oct. 25, 1913—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabitants:										
Altoona, Pa.	52,127	10	1				3		3	
Bayonne, N. J.	55,545	9	8	1	8				3	
Brockton, Mass.	56,878		7		1				1	1
Camden, N. J.	94,538		4				2		4	
Erie, Pa.	66,525	32	11				5		2	
Evansville, Ind.	69,647	23	5							3
Harrisburg, Pa.	64,186	14	5		1					
Hartford, Conn.	98,915	23	6		1		1		7	
Hoboken, N. J.	70,324	12	2				1		8	
Johnstown, Pa.	55,482	23	9	1			1			1
Kansas City, Kans.	82,331		1				1		1	
Lawrence, Mass.	85,892		2				1		4	3
Lynn, Mass.	89,336	12	5		3				2	1
Manchester, N. H.	70,063	18	2				3		1	
New Bedford, Mass.	96,652	35	1				3		9	7
Passaic, N. J.	54,773	15	1		4	1	1			1
Pawtucket, R. I.	51,622		2				1			1
Reading, Pa.	96,071	23	10	2			1		1	1
Saginaw, Mich.	50,510	8	5				1		1	
St. Joseph, Mo.	77,403	25	2	1	3		1		2	1
Schenectady, N. Y.	72,826	12	2				5		4	2
South Bend, Ind.	53,684	18	5	1			3	1		1
Springfield, Ill.	51,678	21	3				1			4
Springfield, Mass.	88,926	17			1				1	
Trenton, N. J.	96,815	31	7	2			7		5	1
Wilkes-Barre, Pa.	67,105	13	2				2		2	
Yonkers, N. Y.	79,803	22	7	1	16		5		13	4
From 25,000 to 50,000 inhabitants:										
Atlantic City, N. J.	46,150	8	1							
Aurora, Ill.	29,807	7								
Austin, Tex.	29,860	8	3				1			3
Binghamton, N. Y.	48,443	21			4				2	1
Brookline, Mass.	27,792	8					2			
Butte, Mont.	39,165	16			1		1		2	5
Chicopee, Mass.	25,401	3								
Danville, Ill.	27,871	6	2		1		1			1
East Orange, N. J.	34,371		2	1	3				1	
Elmira, N. Y.	37,176	14	5							
Everett, Mass.	23,484	13					4			2
Fitchburg, Mass.	37,826	3					1			
Haverhill, Mass.	44,115				1		1		6	
Kalamazoo, Mich.	39,437	16	4							
Knoxville, Tenn.	36,346	13	1	1	3			1	1	1
La Crosse, Wis.	30,417	5							1	
Lancaster, Pa.	47,227		6						1	
Lexington, Ky.	35,099	17	3				2			1
Little Rock, Ark.	45,941		1						1	
Lynchburg, Va.	29,494	7	1	1			3		1	1
Malden, Mass.	44,404	18	5				4		2	1
Newport, Ky.	30,309	8	3							
Newton, Mass.	39,806	7	2				1			1
Norristown, Pa.	27,875	5	1							
Orange, N. J.	29,630	10			2		1		4	
Pasadena, Cal.	30,291	9					1		11	3
Pittsfield, Mass.	32,121	12	3				4		3	
Portsmouth, Va.	33,190	12	5				5			1
Racine, Wis.	38,002	13	1	1			5		1	
Roanoke, Va.	34,874	15	7	1			4			2
Sacramento, Cal.	44,696	11					2			1
San Diego, Cal.	39,578		1						2	
South Omaha, Nebr.	26,259	12	2				3			
Superior, Wis.	40,384	12					1	1		3
Taunton, Mass.	34,259	20	2		1		6		1	1
Waltham, Mass.	27,834	4	3							1
West Hoboken, N. J.	35,403								1	
Wheeling, W. Va.	41,641	8	7	1			1		1	1
Wilmington, N. C.	25,748	9	3		2		1			
York, Pa.	44,750		1							
Zanesville, Ohio	28,026		9							

SCARLET FEVER, MEASLES, DIPHTHERIA, AND TUBERCULOSIS—Contd.

City Reports for Week Ended Oct. 25, 1913—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tubercu- losis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Less than 25,000 inhabitants:										
Alameda, Cal.	23,383	6	1		1		1		2	1
Ann Arbor, Mich.	14,817	5	1						6	
Biddeford, Me.	17,079	6	2	1	1		1			
Braddock, Pa.	19,357		2				1			
Cambridge, Ohio.	11,327	3			6					
Clinton, Mass.	13,075	4			1					
Coffeyville, Kans.	12,687						1		2	
Columbus, Ind.	8,813	7	3							2
Concord, N. H.	21,497	8	3	2						
Cumberland, Md.	21,839	12	9	1						
Dunkirk, N. Y.	17,221	7	1	1	13					2
Galesburg, Ill.	22,089	14	1							
Gloucester, Mass.	24,398	2								
Harrison, N. J.	14,498	6	1						1	
Kearny, N. J.	18,659	7	5				2		1	
La Fayette, Ind.	20,081	8								1
Marinette, Wis.	14,610	3			2		1			
Marlboro, Mass.	14,579	4								
Massillon, Ohio.	13,879	3	1							
Medford, Mass.	23,150	2					3			
Melrose, Mass.	15,715	2					2		1	
Moline, Ill.	24,199	11	2						1	
Montclair, N. J.	21,550	6							1	
Morristown, N. J.	12,507	1								
Nanticoke, Pa.	18,877	8	5		1					
Newburyport, Mass.	14,949	5							1	1
North Adams, Mass.	22,019	9	1	1					1	
Northampton, N. Y.	19,431	8					2			1
Palo Alto, Cal.	4,486	1								
Plainfield, N. J.	20,550	7			1		1		3	
Pottstown, Pa.	15,599	5								2
Rutland, Vt.	13,546	6					4			
Saratoga Springs, N. Y.	12,693	5								1
South Bethlehem, Pa.	19,973	9								
Steelton, Pa.	14,246	4								
Wilkinsburg, Pa.	18,924	7	1				7		2	
Woburn, Mass.	15,308	2								